AMENDMENT TO THE CLAIMS

1-11. (Canceled)

12.   (Currently amended) A digital motion picture decoding method comprising the steps of:

decoding a coded data [[stream]] as a reproduction picture;

outputting the reproduction picture;

receiving a manually inputted signal which causes only one discontinuity in time

sequence of a coded data [[stream]] to be decoded and which causes decoding a coded data

[[stream]] <u>read after the discontinuity lapses</u> as a new reproduction picture [[after the

discontinuity lapses]];

outputting a currently outputted reproduction picture [[of one frame]] repeatedly until

outputting the new reproduction picture, after receiving the manually inputted signal; and

nullifying decoded data, including decoded data which has not been outputted,

corresponding to coded data read prior to the occurrence of the discontinuity, after receiving the

manually inputted signal.

13.   (Currently amended) ~~The digital motion picture decoding method of claim 12, further~~

~~comprising the steps of:~~

~~decoding a coded data stream read after the discontinuity lapses, as the new reproduction~~

~~picture; and~~

~~outputting the new reproduction picture~~

<u>The digital motion picture decoding method of claim 12, wherein the coded data includes</u>

<u>predictive coded data.</u>

14.   (Currently Amended) ~~The digital motion picture decoding method of claim 13, further comprising the steps of:~~

~~stopping decoding a coded data stream, read prior to the occurrence of the discontinuity;~~ ~~and~~

~~nullifying coded data, read prior to the occurrence of the discontinuity.~~

The digital motion picture decoding method of claim 13,

wherein the nullifying, further nullifies decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

15.   (Currently amended) ~~The digital motion picture decoding method of claim 13, wherein the coded data stream includes predictive coded data~~

The digital motion picture decoding method of claim 14, further comprising the steps of:

decoding a coded data read after the discontinuity lapses, as the new reproduction picture; and

outputting the new reproduction picture.

16.   (Currently Amended) ~~The digital motion picture decoding method of claim 15, wherein the coded data stream includes bidirectional predictive coded data.~~

The digital motion picture decoding method of claim 15, further comprising the steps of:

stopping decoding a coded data, read prior to the occurrence of the discontinuity; and

nullifying coded data, read prior to the occurrence of the discontinuity.

17.   (Currently Amended)   ~~The digital motion picture decoding method of claim 16, wherein the coded data stream is coded by an MPEG coding method.~~

The digital motion picture decoding method of claim 16, wherein the coded data includes

bidirectional predictive coded data.

18.   (Currently Amended)   ~~The digital motion picture decoding method of claim 13, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture decoding method of claim 17, wherein the coded data is coded by an

MPEG coding method.

19.   (Currently Amended)   ~~The digital motion picture decoding method of claim 15, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture decoding method of claim 18, wherein the manually inputted signal is

received from a remote control.

20.   (Currently Amended)   ~~A digital motion picture decoding method comprising the steps of:~~

~~outputting a reproduction picture;~~

~~receiving a manually inputted signal which causes only one discontinuity in time~~

~~sequence of a coded data stream to be decoded and which causes decoding a coded data stream~~

~~as a new reproduction picture after the discontinuity lapses;~~

~~outputting a currently outputting reproduction picture of one frame repeatedly until~~

~~outputting the new reproduction picture, after receiving the manually inputted signal; and~~

~~nullifying decoded data, including decoded data which has not been outputted,~~

~~corresponding to coded data read prior to the occurrence of the discontinuity, after receiving the~~

~~manually inputted signal.~~

The digital motion picture decoding method of claim 16, wherein the nullifying decoded data

is/are not reproduced thereafter.

21.   (Currently Amended) ~~The digital motion picture decoding method of claim 20, further~~

~~comprising the step of:~~

        ~~outputting the new reproduction picture.~~

A digital motion picture outputting method comprising the steps of:

        outputting a reproduction picture;

        receiving a manually inputted signal which causes only one discontinuity in time

sequence of a coded data to be decoded and which causes decoding a coded data read after the

discontinuity lapses as a new reproduction picture;

        outputting a currently outputting reproduction picture repeatedly until outputting the new

reproduction picture, after receiving the manually inputted signal; and

        nullifying decoded data, including decoded data which has not been outputted,

corresponding to coded data read prior to the occurrence of the discontinuity, after receiving the

manually inputted signal.

22.   (Currently Amended) ~~The digital motion picture decoding method of claim 21, further~~

~~comprising the steps of:~~

~~controlling to stop decoding a coded data stream, read prior to the occurrence of the~~

~~discontinuity; and~~

~~controlling to nullify coded data, read prior to the occurrence of time discontinuity.~~
The digital motion picture outputting method of claim 21, wherein the coded data includes

predictive coded data.

23.   (Currently Amended) ~~The digital motion picture decoding method of claim 21, wherein~~

~~the coded data stream includes predictive coded data.~~
The digital motion picture outputting method of claim 22,

wherein the nullifying, further nullifies decoded data which has been outputted other than

decoded data corresponding to the currently outputted reproduction picture before outputting the

new reproduction picture.

24.   (Currently Amended) ~~The digital motion picture decoding method of claim 23, wherein~~

~~the coded data stream includes bidirectional predictive coded data.~~
The digital motion picture outputting method of claim 23, further comprising the step of:

outputting the new reproduction picture.

25.   (Currently Amended) ~~The digital motion picture decoding method of claim 24, wherein~~

~~the coded data stream is coded by an MPEG coding method.~~
The digital motion picture outputting method of claim 24, further comprising the steps of:

stopping decoding a coded data, read prior to the occurrence of the discontinuity; and

nullifying coded data, read prior to the occurrence of time discontinuity.

26.   (Currently Amended)   ~~The digital motion picture decoding method of claim 21, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture outputting method of claim 25, wherein the coded data includes bidirectional predictive coded data.

27.   (Currently Amended)   ~~The digital motion picture decoding method of claim 23, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture outputting method of claim 26, wherein the coded data is coded by an MPEG coding method.

28.   (Currently Amended)   ~~A digital motion picture decoding apparatus, comprising:~~

~~a decoder for decoding a coded data stream as a reproduction picture;~~

~~an outputting unit for outputting the reproduction picture; and~~

~~a controller for receiving a manually inputted signal which causes only one discontinuity in time sequence of a coded data stream to be decoded and which causes decoding a coded data stream as a new reproduction picture after the discontinuity lapses,~~

~~wherein the controller operates to nullify decoded data, including decoded data which has not been outputted, corresponding to coded data read prior to the occurrence of the discontinuity and operates to output a currently outputted reproduction picture of one frame repeatedly until outputting the new reproduction picture, after receiving the manually inputted signal.~~

The digital motion picture outputting method of claim 27, wherein the manually inputted signal is received from a remote control.

29.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 28,~~

~~wherein the outputting unit outputs the new reproduction picture.~~

The digital motion picture outputting method of claim 25, wherein the nullifying decoded data

is/are not reproduced thereafter.

30.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 29,~~

~~wherein the controller operates so that the decoder stops decoding a coded data stream,~~

~~read prior to the occurrence of the discontinuity; and~~

~~wherein the controller further operates to nullify coded data, read prior to the occurrence~~

~~of time discontinuity.~~

A digital motion picture decoding apparatus, comprising:

       a decoder which is configured to decode a coded data as a reproduction picture;

       an outputting unit which is configured to output the reproduction picture; and

       a controller which is configured to receive a manually inputted signal which causes only

one discontinuity in time sequence of a coded data to be decoded and which causes decoding a

coded data read after the discontinuity lapses as a new reproduction picture,

       wherein the controller is configured to nullify decoded data, including decoded data

which has not been outputted, corresponding to coded data read prior to the occurrence of the

discontinuity and is configured to output a currently outputted reproduction picture repeatedly

until outputting the new reproduction picture, after receiving the manually inputted signal.

31.   (Currently Amended) The digital motion picture decoding apparatus of claim 30 [[29]] ,

wherein the coded data [[stream]] includes predictive coded data.

32.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 31,~~

~~wherein the coded data stream includes bidirectional predictive coded data.~~

The digital motion picture decoding apparatus of claim 31,

wherein the controller is further configured to nullify decoded data which has been

outputted other than decoded data corresponding to the currently outputted reproduction picture

before outputting the new reproduction picture.

33.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 32,~~

~~wherein the coded data stream is coded by an MPEG coding method.~~

The digital motion picture decoding apparatus of claim 32, wherein the outputting unit outputs

the new reproduction picture.

34.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 29,~~

~~wherein the manually inputted signal is received from a remote control.~~

The digital motion picture decoding apparatus of claim 33,

wherein the controller is configured so that the decoder stops decoding a coded data, read

prior to the occurrence of the discontinuity; and

wherein the controller further is configured to nullify coded data, read prior to the

occurrence of time discontinuity.

35. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 31,~~ ~~wherein the nullifying decoded data is/are not reproduced thereafter.~~ The digital motion picture decoding apparatus of claim 34, wherein the coded data includes bidirectional predictive coded data.

36. (Currently Amended) ~~A digital motion picture decoding apparatus, comprising:~~

~~an outputting unit for outputting the reproduction picture; and~~

~~a controller for receiving a manually inputted signal which causes only one discontinuity in time sequence of a coded data stream to be decoded and which causes decoding a coded data stream as a new reproduction picture after the discontinuity lapses,~~

~~wherein the controller operates to nullify decoded data, including decoded data which has not been outputted, corresponding to coded data read prior to the occurrence of the discontinuity and operates to output a currently outputted reproduction picture of one frame repeatedly until outputting the new reproduction picture, after receiving the manually inputted signal.~~ The digital motion picture decoding apparatus of claim 35, wherein the coded data is coded by an MPEG coding method.

37. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 36,~~ ~~wherein the outputting unit outputs the new reproduction picture.~~ The digital motion picture decoding apparatus of claim 36, wherein the manually inputted signal is received from a remote control.

10

38.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 37,~~

~~wherein the controller operates so that the decoder stops decoding a coded data stream,~~

~~read prior to the occurrence of the discontinuity; and~~

~~wherein the controller further operates to nullify coded data, read prior to the occurrence~~

~~of time discontinuity.~~

The digital motion picture decoding apparatus of claim 34, wherein the nullifying

decoded data is/are not reproduced thereafter.

39.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 37,~~

~~wherein the coded data stream includes predictive coded data.~~

A digital motion picture outputting apparatus, comprising:

an outputting unit which is configured to output the reproduction picture; and

a controller which is configured to receive a manually inputted signal which causes only

one discontinuity in time sequence of a coded data to be decoded and which causes decoding a

coded data read after the discontinuity lapses as a new reproduction picture,

wherein the controller is configured to nullify decoded data, including decoded data

which has not been outputted, corresponding to coded data read prior to the occurrence of the

discontinuity and is configured to output a currently outputted reproduction picture repeatedly

until outputting the new reproduction picture, after receiving the manually inputted signal.

40.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 39,~~

~~wherein the coded data stream includes bidirectional predictive coded data.~~

The digital motion picture outputting apparatus of claim 39, wherein the coded data includes predictive coded data.

41.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 40, wherein the coded data stream is coded by an MPEG coding method.~~

The digital motion picture outputting apparatus of claim 40,

wherein the controller is further configured to nullify decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

42.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 37, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture outputting apparatus of claim 41, wherein the outputting unit outputs the new reproduction picture.

43.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 39, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture outputting apparatus of claim 42,

wherein the controller is configured so that the decoder stops decoding a coded data, read prior to the occurrence of the discontinuity; and

wherein the controller is further configured to nullify coded data, read prior to the occurrence of time discontinuity.

44. (Currently Amended) ~~A digital motion picture decoding method comprising the steps of:~~

~~decoding a first coded data stream corresponding to a first program as a reproduction picture;~~

~~outputting said reproduction picture;~~

~~receiving a manually inputted signal which changes from decoding said first coded data stream to decoding a second coded data stream corresponding to a second program as a new reproduction picture;~~

~~outputting a currently outputted reproduction picture of one frame repeatedly until outputting said new reproduction picture, after receiving the manually inputted signal; and~~

~~nullifying decoded data, including decoded data which has not been displayed, corresponding to coded data read prior to receiving said manually inputted signal, after receiving said manually inputted signal.~~

The digital motion picture outputting apparatus of claim 43, wherein the coded data includes bidirectional predictive coded data.

45. (Currently Amended) ~~The digital motion picture decoding method of claim 44, further comprising the step of:~~

~~decoding said second coded data stream as said new reproduction picture; and~~

~~outputting said new reproduction picture.~~

The digital motion picture outputting apparatus of claim 44, wherein the coded data is coded by an MPEG coding method.

46. (Currently Amended) ~~The digital motion picture decoding method of claim 45, further comprising the steps of:~~

~~stopping decoding the first coded data stream; and~~

~~nullifying coded data, read prior to receiving the manually inputted signal.~~

The digital motion picture outputting apparatus of claim 45, wherein the manually inputted signal is received from a remote control.

47. (Currently Amended) ~~The digital motion picture decoding method of claim 45, wherein the first coded data stream and the second coded data stream include predictive coded data.~~

The digital motion picture outputting apparatus of claim 43, wherein the nullifying decoded data is/are not reproduced thereafter.

48. (Currently Amended) ~~The digital motion picture decoding method of claim 47, wherein the first coded data stream and the second coded data stream include bidirectional predictive coded data.~~

A digital motion picture decoding method comprising the steps of:

decoding a coded data as a reproduction picture;

outputting the reproduction picture;

receiving a manually inputted signal;

nullifying decoded data which has not been outputted, corresponding to coded data which has been read, in response to the manually inputted signal; and

outputting a currently outputted reproduction picture repeatedly until outputting the new reproduction picture from coded data read after receiving the manually inputted signal, after receiving the manually inputted signal.

49.   (Currently Amended) ~~The digital motion picture decoding method of claim 48, wherein the first coded data stream and the second coded data stream are coded by an MPEG coding method.~~ The digital motion picture decoding method of claim 48, wherein the coded data includes predictive coded data.

50.   (Currently Amended) ~~The digital motion picture decoding method of claim 45, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture decoding method of claim 49,

wherein the nullifying, further nullifies decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

51.   (Currently Amended) ~~The digital motion picture decoding method of claim 47, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture decoding method of claim 50, further comprising the step of:

decoding a coded data read after receiving the manually inputted signal, as the new reproduction picture; and

outputting the new reproduction picture.

15

52.   (Currently Amended) ~~A digital motion picture decoding method comprising the steps of:~~

~~outputting said reproduction picture of a first program corresponding to a first coded data stream;~~

~~receiving a manually inputted signal which changes from decoding the first coded data stream to decoding a second coded data stream corresponding to a second program as a new reproduction picture;~~

~~outputting a currently outputting reproduction picture of one frame repeatedly until outputting the new reproduction picture, after receiving the manually inputted signal; and~~

~~nullifying decoded data, including decoded data which has not been outputted, corresponding to coded data read prior to receiving the manually inputted signal, after receiving the manually inputted signal.~~

The digital motion picture decoding method of claim 51, further comprising the steps of:

stopping decoding a coded data which has been read; and

nullifying coded data which has been read.

53.   (Currently Amended) ~~The digital motion picture decoding method of claim 52, further comprising the step of:~~

~~outputting the new reproduction picture.~~

The digital motion picture decoding method of claim 52, wherein the coded data includes bidirectional predictive coded data.

54.   (Currently Amended) ~~The digital motion picture decoding method of claim 53, further comprising the steps of:~~

~~controlling to stop decoding the first coded data stream; and~~

~~controlling to nullify coded data, read prior to receiving the manually inputted signal.~~

The digital motion picture decoding method of claim 53, wherein the coded data is coded by an MPEG coding method.

55.   (Currently Amended) ~~The digital motion picture decoding method of claim 53, wherein the first coded data stream and the second coded data stream include predictive coded data.~~

The digital motion picture decoding method of claim 54, wherein the manually inputted signal is received from a remote control.

56.   (Currently Amended) ~~The digital motion picture decoding method of claim 55, wherein the first coded data stream and the second coded data stream include bidirectional predictive coded data.~~

The digital motion picture decoding method of claim 52, wherein the nullifying decoded data is/are not reproduced thereafter.

57.   (Currently Amended) ~~The digital motion picture decoding method of claim 56, wherein the first coded data stream and the second coded data stream are coded by an MPEG coding method.~~

A digital motion picture outputting method comprising the steps of:

outputting a reproduction picture;

receiving a manually inputted signal;

nullifying decoded data which has not been outputted, corresponding to coded data which has been read, in response to the manually inputted signal; and

outputting a currently outputted reproduction picture repeatedly until outputting the new reproduction picture from coded data read after receiving the manually inputted signal, after receiving the manually inputted signal.

58.   (Currently Amended)   ~~The digital motion picture decoding method of claim 53, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture outputting method of claim 57, wherein the coded data includes predictive coded data.

59.   (Currently Amended)   ~~The digital motion picture decoding method of claim 55, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture outputting method of claim 58,

wherein the nullifying, further nullifies decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

60.   (Currently Amended)   ~~A digital motion picture decoding apparatus, comprising:~~

~~a decoder for decoding a coded data stream as a reproduction picture;~~

~~an outputting unit for outputting the reproduction picture; and~~

18

~~a controller for receiving a manually inputted signal which changes from decoding said first coded data stream to decoding a second coded data stream corresponding to a second program as a new reproduction picture,~~

~~wherein the controller operates to nullify decoded data, including decoded data which has not been outputted, corresponding to coded data read prior to receiving the manually inputted signal and operates to output a currently outputted reproduction picture of one frame repeatedly until outputting the new reproduction picture, after receiving the manually inputted signal.~~

The digital motion picture outputting method of claim 59, further comprising the step of:

outputting the new reproduction picture.

61.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 60, wherein the decoder decodes the second coded data stream as the new reproduction picture, and~~

~~wherein the outputting unit outputs the new reproduction picture.~~

The digital motion picture outputting method of claim 60, further comprising the steps of:

stopping decoding a coded data which has been read; and

nullifying coded data which has been read.

62.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 61, wherein the controller operates so that the decoder stops decoding the first coded data stream; and~~

~~wherein the controller further operates to nullify coded data, read prior to receiving the manually inputted signal.~~

19

The digital motion picture outputting method of claim 61, wherein the coded data includes bidirectional predictive coded data.

63. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 61, wherein the first coded data stream and the second coded stream include predictive coded data.~~

The digital motion picture outputting method of claim 62, wherein the coded data are coded by an MPEG coding method.

64. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 63, wherein the first coded data stream and the second coded data stream include bidirectional predictive coded data.~~

The digital motion picture outputting method of claim 63, wherein the manually inputted signal is received from a remote control.

65. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 64, wherein the first coded data stream and the second coded data stream are coded by an MPEG coding method.~~

The digital motion picture outputting method of claim 61, wherein the nullifying decoded data is/are not reproduced thereafter.

66. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 61, wherein the manually inputted signal is received from a remote control.~~

A digital motion picture decoding apparatus, comprising:

a decoder which is configured to decode a coded data as a reproduction picture;

an outputting unit which is configured to output the reproduction picture; and

a controller which is configured to receive a manually inputted signal,

wherein the controller is configured to nullify decoded data which has not been outputted, corresponding to coded data which has been read, in response to the manually inputted signal,

wherein the controller is configured to output a currently outputted reproduction picture repeatedly until outputting the new reproduction picture from coded data read after receiving the manually inputted signal, after receiving the manually inputted signal.

67.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 63, wherein the nullifying decoded data is/are not reproduced thereafter.~~

The digital motion picture decoding apparatus of claim 66, wherein the coded data includes predictive coded data.

68.   (Currently Amended) ~~A digital motion picture decoding apparatus, comprising:~~

~~an outputting unit for outputting the reproduction picture; and~~

~~a controller for receiving a manually inputted signal which changes from decoding said first coded data stream to decoding a second coded data stream corresponding to a second program as a new reproduction picture,~~

~~wherein the controller operates to nullify decoded data, including decoded data which has not been outputted, corresponding to coded data read prior to receiving the manually inputted signal and operates to output a currently outputted reproduction picture of one frame repeatedly until outputting the new reproduction picture, after receiving the manually inputted signal.~~

The digital motion picture decoding apparatus of claim 67,

wherein the controller is further configured to nullify decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

69.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 68, wherein the outputting unit outputs the new reproduction picture.~~

The digital motion picture decoding apparatus of claim 68,

wherein the decoder decodes a coded data read after receiving the manually inputted signal, as the new reproduction picture, and

wherein the outputting unit outputs the new reproduction picture.

70.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 69, wherein the controller operates so that the decoder stops decoding the first coded data stream; and~~

~~wherein the controller further operates to nullify coded data, read prior to receiving the manually inputted signal.~~

The digital motion picture decoding apparatus of claim 69,

wherein the controller is configured so that the decoder stops decoding the first coded data; and

wherein the controller is further configured to nullify coded data which has been read.

71. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 69, wherein the first coded data stream and the second coded stream include predictive coded data.~~

The digital motion picture decoding apparatus of claim 70, wherein the coded data includes bidirectional predictive coded data.

72. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 71, wherein the first coded data stream and the second coded stream include bidirectional predictive coded data.~~

The digital motion picture decoding apparatus of claim 71, wherein the coded data is coded by an MPEG coding method.

73. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 72, wherein the first coded data stream and the second coded stream include are coded by an MPEG coding method.~~

The digital motion picture decoding apparatus of claim 72, wherein the manually inputted signal is received from a remote control.

74. (Currently Amended) ~~The digital motion picture decoding apparatus of claim 69, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture decoding apparatus of claim 70, wherein the nullifying decoded data is/are not reproduced thereafter.

75.   (Currently Amended) ~~The digital motion picture decoding apparatus of claim 71,~~ ~~wherein the nullifying decoded data is/are not reproduced thereafter.~~

A digital motion picture outputting apparatus, comprising:

an outputting unit which is configured to output the reproduction picture; and

a controller which is configured to receive a manually inputted signal,

wherein the controller is configured to nullify decoded data which has not been outputted, corresponding to coded data which has been read, in response to the manually inputted signal,

wherein the controller is configured to output a currently outputted reproduction picture repeatedly until outputting the new reproduction picture from coded data read after receiving the manually inputted signal, after receiving the manually inputted signal.

76.   (Currently Amended) ~~A digital motion picture decoding method comprising the steps of:~~

~~decoding a first coded data stream corresponding to a first program as a reproduction~~ ~~picture;~~

~~displaying said reproduction picture;~~

~~receiving a manually inputted signal which changes from decoding said first coded data~~ ~~stream to decoding a second coded data stream corresponding to a second program as a new~~ ~~reproduction picture;~~

~~displaying a currently displayed reproduction picture of one frame repeatedly until~~ ~~displaying the new reproduction picture, after receiving said manually inputted signal; and~~

~~nullifying decoded data, including decoded data which has not been displayed,~~ ~~corresponding coded data read prior to receiving said manually inputted signal, after receiving~~ ~~said manually inputted signal.~~

The digital motion picture outputting apparatus of claim 75, wherein the coded data includes predictive coded data.

77.   (Currently Amended) ~~The digital motion picture decoding method of claim 76, further~~ ~~comprising the step of:~~

~~decoding said second coded data stream as said new reproduction picture; and~~

~~displaying said new reproduction picture.~~

The digital motion picture outputting apparatus of claim 76,

wherein the controller is further configured to nullify decoded data which has been outputted other than decoded data corresponding to the currently outputted reproduction picture before outputting the new reproduction picture.

78.   (Currently Amended) ~~The digital motion picture decoding method of claim 77, further~~ ~~comprising the steps of:~~

~~stopping decoding the first coded data stream; and~~

~~nullifying coded data, read prior to receiving the manually inputted signal.~~

The digital motion picture outputting apparatus of claim 77, wherein the outputting unit outputs the new reproduction picture.

79.   (Currently Amended) ~~The digital motion picture decoding method of claim 77, wherein~~ ~~the first coded data stream and the second coded data stream include predictive coded data.~~

The digital motion picture outputting apparatus of claim 78,

wherein the controller operates so that the decoder stops decoding the first coded data; and

wherein the controller further operates to nullify coded data, read prior to receiving the manually inputted signal.

80.   (Currently Amended) ~~The digital motion picture decoding method of claim 79, wherein the first coded data stream and the second coded data stream include bidirectional predictive coded data.~~

The digital motion picture outputting apparatus of claim 79, wherein the coded data includes bidirectional predictive coded data.

81.   (Currently Amended) ~~The digital motion picture decoding method of claim 80, wherein the first coded data stream and the second coded data stream are coded by an MPEG coding method.~~

The digital motion picture outputting apparatus of claim 80, wherein the coded data is coded by an MPEG coding method.

82.   (Currently Amended) ~~The digital motion picture decoding method of claim 77, wherein the manually inputted signal is received from a remote control.~~

The digital motion picture outputting apparatus of claim 81, wherein the manually inputted signal is received from a remote control.

83.   (Currently Amended)   ~~The digital motion picture decoding method of claim 79, wherein the nullifying decoded data is/are not reproduced thereafter.~~

<u>The digital motion picture outputting apparatus of claim 79, wherein the nullifying decoded data is/are not reproduced thereafter.</u>

27